



DRIFT & DEPOSITION

PRODUCT INFORMATION:

ARx Affix is an additive that improves coverage on the intended object by reducing the percentage of fine droplets in a spray solution.

DIRECTIONS FOR USE:

Consult an agronomy professional or pesticide application label for specific use rate and application instructions.* *Always read the herbicide label and product websites for most up-to-date approval of tank mix adjuvants. Always check compatibility with other products prior to use.*

USE RATE:

4-6 oz per acre; ARx Affix will generally be added at the end of the tank mix procedure.



TECHNICAL DATA SHEET



Drift Management: Reduces fines to improve droplet size range delivered to the target and reduce off-target particles

Formulation: Oil-based formula does not thicken the spray or produce large droplets

Improves Coverage: Reduces drift and evaporation of the applied spray solution

Improves Canopy Penetration: Manages the right size of droplet to get more product deeper into the plant canopy

Versatile Use Pattern: Can be used by ground or air

Component	Analysis
Specific gravity	.85
Density / Weight per gallon	7.3 lbs/gal
Volume/Ton	N/A
pH	Not determined
Appearance	Clear to hazy liquid
Storage	Heated storage above 32 degrees F

ARX AFFIX™

Drift And Deposition Aid

Principal Functioning Agents:

Vegetable oils, polysorbate 100%
All ingredients are exempt from the requirements of a tolerance in 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Harmful if inhaled. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **In case of medical emergency, call toll free 1-877-424-7452.**

GENERAL INFORMATION

ARX AFFIX™ is a drift and deposition aid that improves coverage on the intended target by reducing the amount of fine droplets in a spray that are susceptible to drift or evaporation. AFFIX™ does not substantially increase coarse droplets, allowing it to optimize deposition and coverage, enhancing pesticide performance. AFFIX™ functions by ground and by air.



908 Lamont Street S.
Aberdeen, SD 57401-5155
1-605-225-5500

Always use AFFIX™ with appropriate nozzle choice, boom height, and pressure for optimal drift reduction.

DIRECTIONS FOR USE

For use with Herbicides (including desiccants), Insecticides and Fungicides:

Prior to use, read all directions on this label.

Drift Reduction:

To reduce drift, add AFFIX™ at a rate of 4-6 oz/A in solutions of 5 to 25 GPA. For >25 GPA, use 8-10 oz/A. Do not exceed 1% of finished spray volume. The higher use rate is recommended when spraying at high pressure and in higher GPA solutions. Before mixing pesticides with AFFIX™, conduct a jar test to determine compatibility.

Deposition Aid: To enhance deposition only, with insecticides or fungicides, use 2 to 4 oz/A in solutions of 5 to 25 GPA.

Aquatic Use: AFFIX™ can be used for aquatic applications including surface water at a rate of 4 to 6 oz/A. Do not exceed 6 oz/A. Always follow tank mix product labels for specific directions and precautions.

MIXING INSTRUCTIONS

SHAKE WELL OR RECIRCULATE BEFORE USE

Add AFFIX™ after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

For Direct Injection: AFFIX™ can be applied through injection systems where AFFIX™ is added to one of the system's chemical injection tanks. An in-line mixing chamber is recommended.

- Step 1 Add AFFIX™ to the chemical injection tank.
- Step 2 Pump the correct amount of AFFIX™ into the line.
- Step 3 Pump the proper amount of water, pesticide, and other adjuvants into the line for mixing with AFFIX™ and chemicals before going into the spray boom.

Do not mix AFFIX™ with other undiluted adjuvants in an induction system or container. Once mixed in water, AFFIX™ is compatible with most other adjuvants in any mixing order.

MAINTAIN AGITATION AT ALL TIMES UNTIL THE CONTENTS OF THE TANK ARE SPRAYED OUT.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in original container only and keep sealed. Store in closed storage areas.

ADJUVANT DISPOSAL: Wastes resulting from the use of this product may be disposed of through on-site spray application or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container.

Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at www.agrecycling.org. Decontaminated containers may also be disposed of in a sanitary landfill.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty. All other trademarks are the property of their respective owners.



ITEM # 1725247

NET CONTENTS

2.5 GALLONS

2/0705/2

Affix™ is a trademark of Agtegra Cooperative