

# A HIGH SURFACTANT, HIGH PERFORMANCE METHYLATED SEED OIL

# **PRODUCT INFORMATION:**

ARx Tarex is a high surfactant methylated seed oil concentrate for use with post-emergence herbicides. This methylated soybean oil product improves droplet spreading, coverage and penetration of the leaf cuticle. It is especially useful in dry, harsh environmental conditions.

# DIRECTIONS FOR USE:

Consult an agronomy professional or pesticide application label for specific use rate and application instructions. Always check compatibility with other products prior to use.

# **USE RATE:**

Normal use rate is 0.5 % v/v, or 2 quarts/100 gallons spray solution. Rates are generally ½ of the listed "oil adjuvant" rate on a product label. Rates below 8 ounces per acre are not recommended. Non water-conditioning oil adjuvants such as ARx Tarex are usually added after all main ingredients of the spray mixture.





Low Use Rate:	Can be used at approximately half the use rate of conventional MSO products
High Activity:	Added surfactant helps the herbicide penetrate leaf surfaces and improves control in extremely tough environments especially dry conditions
Compatible:	ARx Tarex can be used with glyphosate
Lower Phototoxicity:	Reduces crop phytotoxicity compared to standard MSO products

Component	Analysis
Specific gravity	.9 g/ml
Density / Weight per gallon	7.5 lbs/gal
Volume/Ton	N/A
рН	6-7
Appearance	Clear yellow liquid
Freezing temperature	Heated storage above 40 degrees F



#### **Principal Functioning Agents:** Soybean Oil, Methyl Ester......60% Fatty Acid, Fatty Acid Ethoxylate, Alkylphenol Ethoxylates, and Alcohol Ethoxylates .......40% TOTAL .... ..... 100% SURFACTANT CONTENT: 25%

Components exempt from tolerance under 40CFR 180.

### **KEEP OUT OF REACH OF CHILDREN** WARNING



Causes skin irritation. Causes serious eye irritation.

#### **PRECAUTIONARY STATEMENTS**

Wash hands, face, and other affected areas thoroughly after handling. Wear protective gloves, protective clothing, eye protection, and face protection. Read and follow all precautionary statements on the accompanying pesticide label(s).


#### **FIRST AID**

## CALL A POISON CONTROL CENTER OR DOCTOR IF YOU FEEL UNWELL

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing the eye. Get medical attention.

> If On Skin Or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

> > AGI



If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Have the product container or label with you when calling a poison control center or doctor, or going in for treatment.

#### In case of medical emergency, call toll free 1-877-424-7452.

#### **GENERAL INFORMATION**

**ARx TAREX™** is a high surfactant modified vegetable oil concentrate that improves droplet spreading, and penetration of the plant cuticle, **TAREX™** is designed for use at about half the use rate of traditional methylated seed oils. It can be used with a broad range of pesticides where methylated seed oil-based adjuvants are recommended. **TAREX™** can be applied by ground or air.

#### DIRECTIONS FOR USE

Prior to use read all directions on this label and on the label of the product used. The product label for specific usages and restrictions have precedence over directions for uses referred to on this label.

# **MIXING INSTRUCTIONS**

# SHAKE WELL OR RECIRCULATE BEFORE USE

1. Fill sprayer 1/3 to 1/2 full of water

- 2. Add dry flowables or dispersible granules
- 3. Add emulsifiable concentrates
- 4. Continue to agitate until tank is 3/4 full
- 5. Add **TAREX™** last to the agitating spray tank

#### **RECOMMENDED RATES**

**TAREX™** should be applied at a rate of 1-3 quarts per 100 gallons (0.25 - 0.75% v/v) in ground, aerial, or low volume applications. If conventional methylated seed oil concentrate is recommended at a rate of 1-2 pints per acre replace with **TAREX™** at a rate or 0.5-1 pint per acre.

#### **STORAGE AND DISPOSAL**

STORAGE: Store in a cool, dry place. Store in original container only. Do not store near feed or food. Storage between 40°F and 120°F is recommended. If stored below 32°F, this product may become cloudy. Above 32°F it returns to its normal clear fluid state.

**DISPOSAL:** Do not reuse product containers. Triple rinse (or equivalent), then offer for recycling at an ACRC site (go to www.agrecycling.org for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by local, state, and federal regulations.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

#### NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller,



and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

All other trademarks are the property of their respective owners.





908 Lamont Street S. Aberdeen, SD 57401-5155 1-605-225-5500 

Tarex<sup>™</sup> is a trademark of Agtegra Cooperative

2/0705/2